



CARESCAPE Ventilator R860

(BB

6

h

A/C VC

461

gehealthcare.com

EXHALATION VALVE

The flow sensor is one of the most important components of your critical care ventilator. It automatically checks patient airway flow and pressure 250 times per second, making it the "eye" of your ventilator.

The CARESCAPE[™] R860 flow sensor and exhalation valve assembly (EVA) are available in both single patient use and reusable options.





SINGLE PATIENT USE FLOW SENSOR AND EXHALATION VALVE ASSEMBLY

PRODUCT	PART NUMBER	QUANTITY
Whole Assembly (Housing and flow sensor)	1505-3848-001	1
Housing only (includes water trap and membrane)	1505-8568-001	1
Flow sensor only	1505-3231-001	1



REUSABLE FLOW SENSOR AND EXHALAT		
PRODUCT	PART NUMBER	QUANTITY
Whole Assembly (Housing and flow sensor)	1505-3848-000	1
Housing only (includes water trap and membrane)	1505-8568-000	1
Flow sensor only	1505-3231-000	1

SINGLE PATIENT USE



Infection control - single patient use accessories may help reduce the risk of cross-contamination and help lower the risk of costly ventilator associated infections

Ó

Workflow efficiency - no sterilization or assembly required, which could lead to time and cost savings



Breathing masks are designed to channel gas mixtures to the patient for manual non-invasive ventilation via the mouth and nose. Breathing Masks from GE Healthcare are tested and verified to function with GE Healthcare ventilators. The products perform optimally with GE Healthcare breathing systems when applicable.

DISPOS	ABLE BREATHIN	IG MASK	-	\delta 💙 (
SIZE	PATIENT TYPE	CONNECTION	PART NUMBER	QUANTITY
0	Neonatal	15 mm	2106570-012	50
1	Small Child	15 mm	2106570-013	50
2	Medium Child	22 mm	2106570-014	50
3	Large Child	22 mm	2106570-015	50
4	Adult	22 mm	2106570-016	50
5	Large Adult	22 mm	2106570-017	50
6	Extra Large Adult	22 mm	2106570-018	50

CDisposable masks have a prefilled soft inflatable cushion that can be inflated and deflated to enhance the seal to suit the patient's anatomical contours.

	REUSABLE	BREATHING MASK			
	SIZE	ΡΑΤΙΕΝΤ ΤΥΡΕ	CONNECTION	BOX OF 1	BOX OF 10
8	0	Neonatal	15 mm	2106570-011	2106570-029
1	1	Small Child	15 mm	2106570-019	2106570-030
8	2	Medium Child	22 mm	2106570-020	2106570-031
- A	3	Large Child	22 mm	2106570-021	2106570-032
	4	Adult	22 mm	2106570-022	2106570-033
	5	Large Adult	22 mm	2106570-023	2106570-034

SPIROMETRY

For measuring the respiratory gases and lung mechanics at the patient's airway, the products in the GE Healthcare patient spirometry range guarantee optimal performance in humid conditions. The D-lite+ and Pedi-lite+ flow sensors have hydrophilic surface and are intended for use in humid conditions.



D-LITE FLC	OW SENSOR	5				
SENSORS	PATIENT	USE	COLOR	PATIENT TIDAL VOLUME	PART NUMBER	QUANTITY
D-lite +	Adult	Disposable	Transparent	450,0000	896952	50
D-lite	Adult	Reusable	Transparent yellow	150-2000 ml	733910-HEL	1
Pedi-lite +	Pediatric	Disposable	Transparent	5 - 300 ml	8001948	50
Pedi-lite	reuidtiic	Reusable	Transparent yellow	15-300 ml*	73393	1

*Measurement range 15 – 300 ml with E-COV, E-COVX, E-CAiOV, E-CAiOVX modules.

DISPOSABLE SPIROMETRY TUBE				
PRODUCT	COLOR	2M LENGTH	3M LENGTH	QUANTITY
Spirometry tube	Transparent Yellow	890031	884101	5

0

DISPOSABLE SPIROMETRY KITS FOR HUMID CONDITIONS

PRODUCT	PATIENT TYPE	2M LENGTH	3M LENGTH	QUANTITY
 D-lite+ or Pedi-lite+ sensor Gas sampling line 	Adult	8004381	8004382	20
 Spirometry tube 	Pediatric	8002718	M1032634	50
 D-lite++ sensor Gas sampling line Spirometry tube 	Adult	2104297-001	2104297-002	20




< < D-lite++ sensor is designed to reduce the entry of water and other patient liquids to the gas sampling line and spirometry tubes.



GAS MONITORING

GE Healthcare's gas sampling lines are validated and rigorously tested to ensure optimal performance on your GE Healthcare equipment. Water traps in the D-Fend[™] range protect your monitors from moisture, contaminations and secretions.

D-Fend, D-Fend+, D-Fend Pro+ and Mini D-Fend water traps are specified for use with the following module





WATER TRAPS			
PRODUCT	COLOR	PART NUMBER	QUANTITY
Mini D-Fend	Light Grey	8002174	10
D-fend Pro+	Green	M1200227	10
D-fend+	Green	881319-HEL	10

Recommended to Change water trap for each new patient, whenever the host device prompts you to do so, or every 24 hours.



GAS SAMPLING L	INE, PVC/PE		
USE	LENGTH	PART NUMBER	QUANTITY
	2 m	2097307-001	10
Disposable	3 m	2097307-002	10
	6 m	2097307-003	5



MPLING SET	1		
ΡΑΤΙΕΝΤ ΤΥΡΕ	LENGTH	PART NUMBER	QUANTITY
Adult/Pediatric	3 m	8090121521	20
Adult/Pediatric	2 m	8090121531	
Infant	2 m	8090121522	
	PATIENT TYPE Adult/Pediatric Adult/Pediatric	PATIENT TYPE LENGTH Adult/Pediatric 3 m Adult/Pediatric 2 m	PATIENT TYPELENGTHPART NUMBERAdult/Pediatric3 m8090121521Adult/Pediatric2 m8090121531

Airway Gas Adapters Sets are for ICU use only



Our range of patient breathing circuits and components offer robust and high quality options for both disposable and reusable applications. Patient breathing circuits from GE Healthcare are tested and verified to function with GE Healthcare ventilators. The products perform optimally with GE Healthcare breathing systems when applicable.



DISPOSABLE TWO-LIMB CIRCUIT

PRODUCT	PART NUMBER	QUANTITY
Patient circuit Adult, 1.5m Adult 1.5m two limb circuit, including patient Y and elbow with sampling port	2105488-015	20
Patient circuit Pediatric, 1.5m Pediatric 1.5m two limb circuit, including patient Y and double swivel elbow with sampling port	2105488-020	20

DISPOSABLE SINGLE-LIMB CIRCUIT



PRODUCT	PART NUMBER	QUANTITY
Inteliflo single limb patient circuit, adult 1.8m adult single limb breathing circuit, including elbow with sampling port	2105488-009	20

DISPOSABLE PATIENT CIRCUIT KITS

PRODUCT	PART NUMBER	QUANTITY
Patient circuit, adult, 1 water trap, 1.5m 1.5m two limb circuit, including patient Y 1x water trap 0.8m tube 22F-22F 1x 22M-22M adapter	2105488-017	20



VENTILATOR FILTER

PRODUCT	PART NUMBER	QUANTITY
Inspiratory Safety Guard	2066713-001	1
	2083208-001	10

Y-PIECES & CONNECTORS

Y-pieces and connectors are used to compose a breathing circuits according to your needs. GE Healthcare provides multiple options validated with GE Healthcare Ventilators.



DISPOSABLE CONNECTORS

PRODUCT	CONNECTION TYPE	PART NUMBER	QUANTITY
Plain elbow polyethylene	22M/15F	2105488-018	50
Straight T-adapter - 7,5 mL (Vyaire)	22M/15F-15M	73385-HEL	10
Elbow adapter - 10 mL (Vyaire)	22M/15F-15M	73386-HEL	10
Airway adapter with internal spike	22M/15F-15M	3090121002	25



REUSABLE CONNECTORS

REUSABLE Y-PIECES

PRODUCT	CONNECTION TYPE	PART NUMBER	QUANTITY
Straight connector adult	22 M/ 22M	2096533-004	1
Angled swivel connector adult	22M-15F/15M	2105488-003	10



PRODUCTPART NUMBERQUANTITYAngled Y-piece, neonatal, with CO2 Luer lock
sampling port2105488-00210



GE Healthcare provides transformational medical technologies and services to meet the demand for increased access, enhanced quality and more affordable healthcare around the world. GE (NYSE: GE) works on things that matter – great people and technologies taking on tough challenges. From medical imaging, software & IT, patient monitoring and diagnostics to drug discovery, biopharmaceutical manufacturing technologies and performance improvement solutions, GE Healthcare helps medical professionals deliver great healthcare to their patients.

www.gehealthcare.com.

Product may not be available in all countries and regions. Contact a GE Healthcare Representative for more information. Data subject to change.

GE, the GE Monogram, Imagination at work, D-Fend and D-Lite are trademarks of General Electric Company.

*All other third-party trademarks are the property of their respective owners.

Reproduction in any form is forbidden without prior written permission from GE.

Nothing in this material should be used to diagnose or treat any disease or condition. Readers must consult a healthcare professional.

© 2020 General Electric Company. All rights reserved.

JB76783XE